



# MATERIAL SAFETY DATA SHEET

## SECTION 1 – GENERAL INFORMATION

**Manufacturer:**  
Modern Masters®, Inc.  
9380 San Fernando Road,  
Sun Valley, California 91352  
818-683-0201

**HMIS Rating**  
HEALTH 1  
FLAMMABILITY 1  
REACTIVITY 0

**Emergency Telephone:** 800-942-3166      **Preparation Date:** September 24, 2009

**Product Name:** Modern Masters Countertop Transformations Basecoat Wetting Agent

**Product Code:** 253484

## SECTION 2 – HAZARDOUS INGREDIENTS

<u>Hazardous Component</u>	<u>CAS #</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>	<u>Content</u>
Proprietary surfactant				8-12%
Water				88-92%

This product does not contain any hazardous components under current OSHA definitions.  
European Union: None of the components of this product are listed in Annex I to Directive 67/548/EEC or in Annexes II, III, or V to Directive 1999/45/EC.

## SECTION 3 – HAZARD IDENTIFICATION

**Overview:** This is a water-base mixture.

**Primary Routes of Exposure:**

Inhalation                      Skin contact                      Eye contact

**Potential Acute Health Effects:**

**Inhalation:** May cause respiratory tract irritation.

**Eye:** May cause eye irritation.

**Skin:** Non-irritating.



# MATERIAL SAFETY DATA SHEET

---

## SECTION 4 – FIRST AID MEASURES

**Eye contact:** Flush eyes with clean water for 15 minutes. Seek medical attention, especially if irritation persists.

**Skin contact:** Non-irritating. Rinse with water.

**Inhalation:** Remove victim from exposure. If irritation occurs, remove to fresh air and seek medical attention if cough or other symptoms develop.

**Ingestion:** Do not induce vomiting. Seek medical attention. If vomiting occurs spontaneously keep head below hips to prevent aspiration of liquids into lungs. Do not give anything by mouth to an unconscious person.

## SECTION 5 – FIRE FIGHTING MEASURES

**Flash Point (method):** Greater than 280F (ASTM D93 Closed Cup)

Auto-ignition Temperature: N/A

Limits of Flammability:	LEL	UEL
	N/A	N/A

**Extinguishing Media:** Use water fog, dry chemical, foam, or carbon dioxide when fighting fires involving this material.

**Protection of Firefighters:** As in any fire, wear NIOSH approved self-contained breathing apparatus pressure-demand and full protective gear.

## SECTION 6 – ACCIDENTAL RELEASE MEASURES

**Personal Precautions:** Wear protective gear, contain leak or spill, clean up residue with absorbent materials. Floor may be slippery.





# MATERIAL SAFETY DATA SHEET

---

**Vapor Pressure:** N/D

**Vapor Density:** N/A

**Odor Threshold:** N/D

**Viscosity:** 20 centipoise

**Solubility in Water:** Completely soluble

**Specific Gravity:** 1.01

**VOC:** Zero

## SECTION 10 – STABILITY AND REACTIVITY

**Stability:** Stable

**Incompatibility:** None.

**Hazardous Polymerization:** Will not occur

**Hazardous Decomposition Products:** None

## SECTION 11 – TOXICOLOGICAL INFORMATION

**Carcinogenicity:** This material is not considered a carcinogen by IARC or NTP and is not regulated as a carcinogen by OSHA.

Acute Toxicity: Non-toxic.

Local Effects: None.

Specific Effects: None.

(See also Section 15 for related information.)

## SECTION 12 – ECOLOGICAL INFORMATION

**Chemical Fate and Effects:** Not toxic. Biodegradable.

## SECTION 13 – DISPOSAL CONSIDERATIONS



# MATERIAL SAFETY DATA SHEET

**Recommended Waste Disposal Method:** Consult all applicable federal, state, and local regulations regarding the proper disposal of this material.

## SECTION 14 – TRANSPORTATION INFORMATION

**DOT Proper Shipping Name:** DOT Class 55 cleaning and scouring product. Solvnet, NMF 48580.

## SECTION 15 – REGULATORY INFORMATION

This product complies with all known regulatory considerations and is unregulated and not listed as a hazardous material by any agency.

### CERCLA:

The Comprehensive Environmental Response Compensation and Liability Act of 1980 (CERCLA) requires notification to the National Response Center for releases of quantities of Hazardous Substances equal to or greater than the reportable quantities (RQs) in 40 CFR 302.4 (for CERCLA 102).

Components present in this product at a level which could require reporting under the statute are:

<u>Chemical Name</u>	<u>CAS #</u>	<u>Maximum Concentration (Wt. %)</u>
none	N/A	N/A

### SARA Title III, section 311/312:

The Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III requires emergency planning based on Threshold Planning Quantities (TPQs) and release reporting based on Reportable Quantities (RQs) in 40 CFR 355 (used for SARA 302, 304, 311, and 312).

Components present in this product at a level which could require reporting under the statute are:

<u>Chemical Name</u>	<u>CAS #</u>	<u>Maximum Concentration (Wt. %)</u>
none	N/A	N/A

### SARA Title III, section 313:



# MATERIAL SAFETY DATA SHEET

The Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III requires submission of annual reports of release of toxic chemicals that appear in 40 CFR 372 (for SARA 313).

Components present in this product at a level which could require reporting under the statute are:

<u>Chemical Name</u>	<u>CAS #</u>	<u>Maximum Concentration (Wt. %)</u>
none		

## **TSCA:**

The components of this mixture are listed in the Toxic Substance Control Act Inventory of Chemical Substances.

This product does not contain any chemicals that would require export notification under Section 12(b) of the TSCA regulation.

California Prop 65 Chemicals—none

## **SECTION 16 – OTHER INFORMATION**

**Legend:** **N/A:** Not Applicable      **N/D:** Not Determined  
**N/E:** Not Established      **N/R:** Not Required  
**STEL:** Short Term Exposure Limit      **C:** Ceiling Value  
**cps:** Centipoise      **mg/m<sup>3</sup>:** milligrams per cubic meter  
**PPM:** Parts Per Million      **PPB:** Parts Per Billion  
**PEL:** Permissible Exposure Limit      **TLV:** Time Weighted Average  
**mppcf:** million particles per cubic foot of air  
**ACGIH:** American Conference of Governmental Industrial Hygienists  
**CPSC:** Consumer Product Safety Commission  
**DOT:** US Department of Transportation  
**FHSA:** Federal Hazardous Substance Act  
**OSHA:** Occupational Safety and Health Administration (US Dept. of Labor)  
**RCRA:** Resource Conservation and Recovery Act  
**SARA:** Superfund Amendment and Reauthorization Act  
**TSCA:** Toxic Substance Control Act

### **HMIS Key**

4 = Severe Hazard  
3 = Serious Hazard  
2 = Moderate Hazard



# MATERIAL SAFETY DATA SHEET

---

1 = Slight Hazard

0 = Minimal Hazard

**Prepared by:** Modern Masters Regulatory Compliance Manager,  
Technical Management Department  
9380 San Fernando Road, California 91352 (818) 683-0201

**Disclaimer:** Modern Masters, Inc. believes, to the best of its knowledge, information, and belief, the information contained herein to be accurate and reliable as of the date of this material safety data sheet. However, because the conditions of handling, use, and storage of these materials are beyond our control, we assume no responsibility or liability for personal injury or property damage incurred by the use of these materials and make no warranty, expressed or implied, regarding the accuracy or reliability of the data or results obtained from their use. All materials may present unknown hazards and should be used with caution. The information and recommendations in this material safety data sheet are offered for the users' consideration and examination. It is the responsibility of the user to determine the final suitability of this information and data to comply with all applicable international, federal, state, and local laws and regulations.